Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	allocat\$3 near10 (portion or section) near10 static	USPAT	OR	OFF	2005/11/03 15:27
S2	58	allocat\$3 near10 (portion or section) near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:16
<b>S3</b>	18	allocat\$3 near10 (portion or section) near10 static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:29
S4	1177	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2005/11/02 17:16
S5	1	S2 and S4	USPAT	OR	OFF	2005/11/02 17:16
S6	21544	(portion or section) near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:18
<b>S7</b>	20340	(portion or section) near10 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:17
S8	2714	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:30
S9	2	S4 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:17
S10	6	((portion or section) near10 static) same (main adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:19

	<del></del>		1		r-	
S11	10	((portion or section) near10 static) same (main near3 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:20
S12	4	((portion or section) near10 static) same (functional adj program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:20
S13	393	((portion or section) near10 static) same (program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:21
S14	88	S7 and S13	US-PGPUB;	OR	OFF	2005/11/02 17:21
			USPAT; USOCR;			
			EPO; JPO;			
			DERWENT; IBM_TDB			
S15	29	S6 and S7 and MP3	US-PGPUB;	OR	OFF	2005/11/02 17:33
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK	011	2003/11/02 17.33
S16	76	static with (main near3 program)	US-PGPUB;	OR	OFF	2005/11/02 17:34
			USPAT; USOCR;			
			EPO; JPO;			for the space of the space
			DERWENT; IBM_TDB			
S17	36	(static with (main near3 program)) and (dynamic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:35
S18	0	allocat\$3 near10 static near10 overlay\$3	USPAT	OR	OFF	2005/11/03 15:28
S19	516	allocat\$3 with static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:29

S20	525	(allocat\$3 or delegat\$3) with static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:30
S21	31	((allocat\$3 or delegat\$3) with static with dynamic) with program\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:39
S22	35	(static near10 (main adj program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:51
S23	2	(static near10 (foundation adj algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2005/11/03 17:04
			DERWENT; IBM_TDB			
524	776	swap\$4 near10 RAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:05
S25	-4	S20 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/11/03 17:12
S26		(functional adi programati) with	IBM_TDB	00		2005/44/02 47 44
320	4	(functional adj program\$1) with static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:14
S27	662	(functional adj program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:14

S28	10	(functional adj program\$1) same (allocat\$3 or delegat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/11/03 17:18
			IBM_TDB			